

We Protect Hoosiers and Our Environment.

Michael R. Pence Governor

Thomas W. Easterly Commissioner

100 North Senate Avenue Indianapolis, Indiana 46204 (317) 232-8603 Toll Free (800) 451-6027 www.idem.IN.gov

NOTICE OF 30-DAY PERIOD FOR PUBLIC COMMENT

Preliminary Findings Regarding a New Source Review (NSR) Permit and Source Specific Operating Agreement (SSOA)

for St. Vincent Fishers Hospital in Hamilton County

NSR Permit and SSOA No. S057-32818-00084

The Indiana Department of Environmental Management (IDEM), has received an application from St. Vincent Fishers Hospital located at 13861 Olio Road, Fishers, Indiana 46037 for a NSR Permit and SSOA. If approved by IDEM's Office of Air Quality (OAQ), this proposed permit would allow St. Vincent Fishers Hospital to construct and operate a proposed expansion of the hospital for the operation of a stationary 40 bed in-patient hospital.

The applicant intends to construct and/or operate new equipment that will emit air pollutants; therefore the permit contains new permit conditions. The potential to emit air pollutants will be limited pursuant to the conditions contained in the SSOA. IDEM has reviewed this application, and has developed preliminary findings, consisting of a draft permit and supporting documents, that would allow the applicant to construct and operate this equipment.

A copy of the permit application and IDEM's preliminary findings are available at:

Hamilton East Public Library 5 Municipal Drive Fishers, IN 46037

A copy of the preliminary findings is available on the Internet at: http://www.in.gov/ai/appfiles/idem-caats/.

How can you participate in this process?

The date that this notice is published in a newspaper marks the beginning of a 30-day public comment period. If the 30th day of the comment period falls on a day when IDEM offices are closed for business, all comments must be postmarked or delivered in person on the next business day that IDEM is open.

You may request that IDEM hold a public hearing about this draft permit. If adverse comments concerning the air pollution impact of this draft permit are received, with a request for a public hearing, IDEM will decide whether or not to hold a public hearing. IDEM could also decide to hold a public meeting instead of, or in addition to, a public hearing. If a public hearing or meeting is held, IDEM will make a separate announcement of the date, time, and location of that hearing or meeting. At a hearing, you would have an opportunity to submit written comments and make verbal comments. At a meeting, you would have an opportunity to submit written comments, ask questions, and discuss any air pollution concerns with IDEM staff.

Comments and supporting documentation, or a request for a public hearing should be sent in writing to IDEM at the address below. If you comment via e-mail, please include your full U.S. mailing address so that you can be added to IDEM's mailing list to receive notice of future action related to this permit. If you do not want to comment at this time, but would like to receive notice of future action related to this permit



application, please contact IDEM at the address below. Please refer to permit number S057-32818-00084 in all correspondence.

Comments should be sent to:

Daniel W Pell IDEM, Office of Air Quality 100 North Senate Avenue MC 61-53 IGCN 1003 Indianapolis, Indiana 46204-2251 (800) 451-6027, ask for extension (4-8532) Or dial directly: (317) 234-8532 Fax: (317)-232-6749 attn: Daniel W Pell

Fax: (317)-232-6749 attn: Daniei VV i

E-mail: dpell@idem in gov

All comments will be considered by IDEM when we make a decision to issue or deny the permit. Comments that are most likely to affect final permit decisions are those based on the rules and laws governing this permitting process (326 IAC 2), air quality issues, and technical issues. IDEM does not have legal authority to regulate zoning, odor or noise. For such issues, please contact your local officials.

For additional information about air permits and how you can participate, please see IDEM's **Guide for Citizen Participation** and **Permit Guide** on the Internet at: www.idem.in.gov.

What will happen after IDEM makes a decision?

Following the end of the public comment period, IDEM will issue a Notice of Decision stating whether the permit has been issued or denied. If the permit is issued, it may be different than the draft permit because of comments that were received during the public comment period. If comments are received during the public notice period, the final decision will include a document that summarizes the comments and IDEM's response to those comments. If you have submitted comments or have asked to be added to the mailing list, you will receive a Notice of the Decision. The notice will provide details on how you may appeal IDEM's decision, if you disagree with that decision. The final decision will also be available on the Internet at the address indicated above, at the local library indicated above, and the IDEM public file room on the 12th floor of the Indiana Government Center North, 100 N. Senate Avenue, Indianapolis, Indiana 46204-2251.

If you have any questions please contact Daniel W Pell of my staff at the above address.

Tripurari P. Sinha Ph. D.,

Section Chief Permits Branch Office of Air Quality

dwp



We Protect Hoosiers and Our Environment.

Michael R. Pence Governor

Thomas W. Easterly Commissioner

100 North Senate Avenue Indianapolis, Indiana 46204 (317) 232-8603 Toll Free (800) 451-6027 www.idem.IN.gov

NEW SOURCE REVIEW PERMIT AND SOURCE SPECIFIC OPERATING AGREEMENT OFFICE OF AIR QUALITY

St. Vincent Fishers Hospital 13861 Olio Road Fishers, Indiana 46037

(herein known as the Permittee) is hereby authorized to construct and operate subject to the conditions contained herein, the source described in Section A (Source Summary) of this New Source Review (NSR) Permit and Source Specific Operating Agreement (SSOA).

This permit is issued to the above mentioned company under the provisions of 326 IAC 2-1.1, 326 IAC 2-5.1, 326 IAC 2-9 and 40 CFR 52.780, with conditions listed on the attached pages.

Indiana statutes from IC 13 and rules from 326 IAC, quoted in conditions in this permit, are those applicable at the time the permit was issued. The issuance or possession of this permit shall not alone constitute a defense against an alleged violation of any law, regulation or standard, except for the requirement to obtain a Source Specific Operating Agreement (SSOA) under 326 IAC 2-9.

Source Specific Operating Agreement No. S057-32818-00084							
Issued by:							
	Issuance Date:						
Tripurari P. Sinha, Ph. D.,							
Section Chief							
Permits Branch							
Office of Air Quality							



Fishers, Indiana

Permit Reviewer: Daniel W Pell **DRAFT**

SECTION A

SOURCE SUMMARY

This permit is based on information requested by the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ). The information describing the source contained in conditions A.1 and A.2 is descriptive information and does not constitute enforceable conditions. However, the Permittee should be aware that a physical change or a change in the method of operation that may render this descriptive information obsolete or inaccurate may trigger requirements for the Permittee to obtain additional permits pursuant to 326 IAC 2.

A.1 General Information

The Permittee owns and operates a stationary general medical and surgical hospital.

Source Address: 136861 Olio Road, Fishers, Indiana 46037

General Source Phone Number: 317-338-3264

SIC Code: 8062

County Location: **Hamilton County**

Source Location Status: Nonattainment for PM 2.5

Attainment for all other criteria pollutants

Source Status: Source Specific Operating Agreement (SSOA)

Not 1 of 28 Source Categories

A.2 Source Summary

This stationary source consists of the following:

- External Combustion Sources [326 IAC 2-9-13] (a)
- Internal Combustion Sources [326 IAC 2-9-14] (b)

New Source Review and SSOA Applicability [326 IAC 2-9-1] [326 IAC 2-1.1-3(d)] A.3

- This source, otherwise required to have a permit under 326 IAC 2-5.1, 326 IAC 2-5.5, 326 IAC 2-6.1, 326 IAC 2-7, or 326 IAC 2-8, has applied to the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ) for a Source Specific Operating Agreement (SSOA) under 326 IAC 2-9.
- (b) Pursuant to 326 IAC 2-9-1(g), the source may apply for up to four (4) different SSOAs contained in 326 IAC 2-9.
- Pursuant to 326 IAC 2-1.1-3(d), this New Source Review Permit is required for the (c) following:
 - (a) External combustion sources complying with 326 IAC 2-9-13
 - (b) Internal combustion sources complying with 326 IAC 2-9-14

St. Vincent Fishers Hospital Fishers, Indiana

Permit Reviewer: Daniel W Pell

SECTION B GENERAL CONDITIONS

B.1 Definitions [326 IAC 2-1.1-1]

Terms in this permit shall have the definition assigned to such terms in the referenced regulation. In the absence of definitions in the referenced regulation, the applicable definitions found in the statutes or regulations (IC 13-11, 326 IAC 1-2 and 326 IAC 2-1.1-1) shall prevail.

DRAFT

B.2 Affidavit of Construction [326 IAC 2-5.1-3(h)] [326 IAC 2-5.1-4]

This document shall also become the approval to operate pursuant to 326 IAC 2-5.1-4 when prior to the start of operation, the following requirements are met:

- (a) The attached Affidavit of Construction shall be submitted to the Office of Air Quality (OAQ), verifying that the emission units were constructed as proposed in the application or the permit. The emission units covered in this permit may begin operating on the date the Affidavit of Construction is postmarked or hand delivered to IDEM if constructed as proposed.
- (b) If actual construction of the emission units differs from the construction proposed in the application, the source may not begin operation until the permit has been revised pursuant to 326 IAC 2 and an Operation Permit Validation Letter is issued.
- (c) The Permittee shall attach the Operation Permit Validation Letter received from the Office of Air Quality (OAQ) to this permit.

B.3 Term of Conditions [326 IAC 2-1.1-9.5]

Notwithstanding the permit term of a permit to construct, a permit to operate, or a permit modification, any condition established in a permit issued pursuant to a permitting program approved in the state implementation plan shall remain in effect until:

- (a) the condition is modified in a subsequent permit action pursuant to Title I of the Clean Air Act; or
- (b) the emission unit to which the condition pertains permanently ceases operation.

B.4 Enforceability

Unless otherwise stated, all terms and conditions in this permit, including any provisions designed to limit the source's potential to emit, are enforceable by IDEM, the United States Environmental Protection Agency (U.S. EPA) and by citizens in accordance with the Clean Air Act.

B.5 Severability

The provisions of this permit are severable; a determination that any portion of this permit is invalid shall not affect the validity of the remainder of the permit.

B.6 Property Rights or Exclusive Privilege

This permit does not convey any property rights of any sort or any exclusive privilege.

B.7 Duty to Provide Information

- (a) The Permittee shall furnish to IDEM, OAQ, within a reasonable time, any information that IDEM, OAQ may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with this permit. Upon request, the Permittee shall also furnish to IDEM, OAQ copies of records required to be kept by this permit.
- (b) For information furnished by the Permittee to IDEM, OAQ, the Permittee may include a claim of confidentiality in accordance with 326 IAC 17.1. When furnishing copies of

DRAFT

requested records directly to U. S. EPA, the Permittee may assert a claim of confidentiality in accordance with 40 CFR 2, Subpart B.

B.8 Prior Permits Superseded [326 IAC 2-1.1-9.5]

- (a) All terms and conditions of permits established prior to SSOA No. S057-32818-00084 and issued pursuant to permitting programs approved into the state implementation plan have been either:
 - (1) incorporated as originally stated,
 - (2) revised, or
 - (3) deleted.
- (b) All previous registrations and permits are superseded by this permit.

B.9 Annual Notification [326 IAC 2-9-1(d)]

Pursuant to 326 IAC 2-9-1(d):

- (a) An annual notification shall be submitted by an authorized individual to the Office of Air Quality stating whether or not the source is in operation and in compliance with the terms and conditions contained in this SSOA.
- (b) The annual notice shall be submitted in the format attached no later than January 30 of each year to:

Indiana Department of Environmental Management Compliance and Enforcement Branch, Office of Air Quality 100 North Senate Avenue MC 61-53 IGCN 1003 Indianapolis, IN 46204-2251

(c) The notification shall be considered timely if the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ on or before the date it is due.

B.10 Source Modification Requirement [326 IAC 2-9-1(e)]

Pursuant to 326 IAC 2-9-1(e), before the Permittee modifies its operations in such a way that it will no longer comply with the applicable restrictions and conditions of this SSOA, it shall obtain the appropriate approval from IDEM, OAQ under 326 IAC 2-2, 326 IAC 2-3, 326 IAC 2-4.1, 326 IAC 2-5.1, 326 IAC 2-6.1, 326 IAC 2-7, and 326 IAC 2-8.

B.11 Inspection and Entry [326 IAC 2-5.1-3(e)(4)(B)] [IC 13-14-2-2] [IC 13-17-3-2] [IC 13-30-3-1]

Upon presentation of proper identification cards, credentials, and other documents as may be required by law, and subject to the Permittee's right under all applicable laws and regulations to assert that the information collected by the agency is confidential and entitled to be treated as such, the Permittee shall allow IDEM, OAQ, U.S. EPA, or an authorized representative to perform the following:

(a) Enter upon the Permittee's premises where a permitted source is located, or emissions related activity is conducted, or where records must be kept under the conditions of this permit;

- (b) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;
- (c) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, inspect, at reasonable times, any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit;
- (d) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with this permit or applicable requirements; and
- (e) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, utilize any photographic, recording, testing, monitoring, or other equipment for the purpose of assuring compliance with this permit or applicable requirements.

B.12 Permit Revocation [326 IAC 2-1.1-9] [326 IAC 2-9-1(j)]

- (a) Pursuant to 326 IAC 2-1.1-9 (Revocation of Permits), this permit to construct and operate may be revoked for any of the following causes:
 - (1) Violation of any conditions of this permit.
 - (2) Failure to disclose all the relevant facts, or misrepresentation in obtaining this permit.
 - (3) Changes in regulatory requirements that mandate either a temporary or permanent reduction of discharge of contaminants. However, the amendment of appropriate sections of this permit shall not require revocation of this permit.
 - (4) Noncompliance with orders issued pursuant to 326 IAC 1-5 (Episode Alert Levels) to reduce emissions during an air pollution episode.
 - (5) For any cause which establishes in the judgment of IDEM the fact that continuance of this permit is not consistent with purposes of this article.
- (b) Pursuant to 326 IAC 2-9-1(j), noncompliance with any applicable provision 326 IAC 2-9 or any requirement contained in this SSOA may result in the revocation of this SSOA and make this source subject to the applicable requirements of a major source.

SECTION C

SOURCE OPERATION CONDITIONS

Entire Source

Emission Limitations and Standards [326 IAC 2-9]

C.1 Opacity [326 IAC 5-1]

Pursuant to 326 IAC 5-1-2 (Opacity Limitations), except as provided in 326 IAC 5-1-3 (Temporary Alternative Opacity Limitations), opacity shall meet the following, unless otherwise stated in this SSOA:

- (a) Opacity shall not exceed an average of forty percent (40%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.
- (b) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixty (60) readings as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuous opacity monitor) in a six (6) hour period.

C.2 Fugitive Dust Emissions [326 IAC 6-4]

The Permittee shall not allow fugitive dust to escape beyond the property line or boundaries of the property, right-of-way, or easement on which the source is located, in a manner that would violate 326 IAC 6-4 (Fugitive Dust Emissions).

Testing Requirements [326 IAC 2-9)]

C.3 Performance Testing [326 IAC 3-6]

(a) For performance testing required by this permit, a test protocol, except as provided elsewhere in this permit, shall be submitted to:

Indiana Department of Environmental Management Compliance and Enforcement Branch, Office of Air Quality 100 North Senate Avenue MC 61-53 IGCN 1003 Indianapolis, Indiana 46204-2251

no later than thirty-five (35) days prior to the intended test date.

- (b) The Permittee shall notify IDEM, OAQ of the actual test date at least fourteen (14) days prior to the actual test date.
- (c) Pursuant to 326 IAC 3-6-4(b), all test reports must be received by IDEM, OAQ not later than forty-five (45) days after the completion of the testing. An extension may be granted by IDEM, OAQ if the Permittee submits to IDEM, OAQ a reasonable written explanation not later than five (5) days prior to the end of the initial forty-five (45) day period.

Compliance Requirements [326 IAC 2-1.1-11] [326 IAC 2-9]

C.3 Compliance with Applicable Requirements [326 IAC 2-9-1(i)]

Pursuant to 326 IAC 2-9-1(i), the owner or operator is hereby notified that this operating agreement does not relieve the Permittee of the responsibility to comply with the provisions of any applicable federal, state, or local rules, or any New Source Performance Standards (NSPS), 40 CFR Part 60, or National Emission Standards for Hazardous Air Pollutants (NESHAP), 40

Page 7 of 13

NSR and SSOA S057-32818-00084

St. Vincent Fishers Hospital Fishers, Indiana

Fishers, Indiana
Permit Reviewer: Daniel W Pell

CFR Part 61 or 40 CFR Part 63.

Record Keeping and Reporting Requirements [326 IAC 2-9]

C.4 General Record Keeping Requirements [326 IAC 2-9-1(f)]

Pursuant to 326 IAC 2-9-1(f), records of all required monitoring data, reports and support information required by this SSOA shall be physically present or electronically accessible at the source location for a period of at least five (5) years from the date of monitoring sample, measurement, report, or application. If the Commissioner makes a request for records to the Permittee, the Permittee shall furnish the records to the Commissioner within a reasonable time.

DRAFT

C.5 Reporting Requirements [326 IAC 2-9-1(h)]

Pursuant to 326 IAC 2-9-1(h), any exceedance of any requirement contained in this operating agreement shall be reported, in writing, within one (1) week of its occurrence. Said report shall include information on the actions taken to correct the exceedance, including measures to reduce emissions, in order to comply with the established limits. If an exceedance is the result of a malfunction, then the provisions of 326 IAC 1-6 apply.

Permit Reviewer: Daniel W Pell

SECTION D

OPERATION CONDITIONS

DRAFT

Operation Description: External Combustion Sources [326 IAC 2-9-13]

(The information describing the process contained in this facility description box is descriptive information and does not constitute enforceable conditions.)

Emission Limitations and Standards [326 IAC 2-9]

D.1 External Combustion Sources Limitations [326 IAC 2-9-13(b)(2)(A)] [326 IAC 2-9-13(c)]

- (a) Pursuant to 326 IAC 2-9-13(b)(2)(A), the fuel usage for the external combustion units at this source shall be limited as follows:
 - 1) less than nine hundred seventy-six million cubic feet (976 MMcf) of natural gas, based on a straight twelve (12) month total, and
 - (2) less than one hundred seventeen kilogallons (117 kgal) of #1 or #2 distillate oil, or any combination of #1 or #2 oil, per twelve (12) consecutive month period.
- (b) Pursuant to 326 IAC 2-9-13(c), sources must be able to demonstrate compliance no later than thirty (30) days after receipt of a written request by IDEM, OAQ, or U.S. EPA. No other demonstration of compliance shall be required. A source specific operating agreement is not required for these sources.

D.2 Opacity [326 IAC 2-9-13(b)(1)]

Pursuant to 326 IAC 2-9-13(b)(1), the visible emissions from the source shall not exceed twenty percent (20%) opacity in twenty-four (24) consecutive readings in a six (6) minute period. The opacity shall be determined using 40 CFR 60, Appendix A, Method 9.

Record Keeping and Reporting Requirements

D.3 Record Keeping Requirements

To document the compliance status with Condition D.1, the source shall keep the following records for the external combustion units:

- (a) the monthly hours operated for each external combustion unit; and
- (b) records of the annual fuel usage for each external combustion unit.

Section C - General Record Keeping Requirements of this SSOA contains the Permittee's obligations with regard to the records required by this condition.

Permit Reviewer: Daniel W Pell DRAFT

SECTION E

OPERATION CONDITIONS

Operation Description: Internal Combustion Sources [326 IAC 2-9-14]

(The information describing the process contained in this facility description box is descriptive information and does not constitute enforceable conditions.)

Emission Limitations and Standards [326 IAC 2-9]

E.1 Internal Combustion Sources Limitation [326 IAC 2-9-14(a)(1)] [326 IAC 2-9-14(b)]

- (a) Pursuant to 326 IAC 2-9-14(a)(2), the fuel usage for internal combustion units at this source shall be limited to less than three hundred seventy-six and seventy-two hundredths (376.72) kilogallons of diesel fuel per twelve (12) consecutive month period.
- (b) Pursuant to 326 IAC 2-9-14(b), sources must be able to demonstrate compliance no later than thirty (30) days after receipt of a written request by IDEM, OAQ, or U.S. EPA. No other demonstration of compliance shall be required. A source specific operating agreement is not required for these sources.

Record Keeping and Reporting Requirements

E.2 Record Keeping Requirements

To document the compliance status with Condition E.1, the source shall keep the following records for the internal combustion units:

- (a) the monthly hours operated for each internal combustion unit; and
- (b) records of the annual fuel usage for each internal combustion unit.

Section C - General Record Keeping Requirements of this SSOA contains the Permittee's obligations with regard to the records required by this condition.

SECTION F

Permit Reviewer: Daniel W Pell

DRAFT **OPERATION CONDITIONS**

Operation Description:

(a) Two (2) Emergency Generator Engines, EG-1 and EG-2, diesel-fired, 800kW (1072 hp) each, constructed in 2013.

(The information describing the process contained in this facility description box is describitive information and does not constitute enforceable conditions.)

F.1 General Provisions Relating to NSPS [326 IAC 12-1] [40 CFR 60, Subpart A]

- Pursuant to 40 CFR 60.1, the Permittee shall comply with the provisions of 40 CFR Part 60, Subpart A - General Provisions, which are incorporated by reference as 326 IAC 12-1, except as otherwise specified in 40 CFR 60, Subpart A.
- (b) Pursuant to 40 CFR 60.10, the Permittee shall submit all required notifications and reports to:

Indiana Department of Environmental Management Compliance and Enforcement Branch, Office of Air Quality 100 North Senate Avenue MC 61-53 IGCN 1003 Indianapolis, Indiana 46204-2251

F.2 New Source Performance Standards (NSPS) for Standards of Performance for Stationary Compression Ignition Internal Combustion Engines [40 CFR Subpart 60, Subpart IIII][326 IAC 12] The requirements of the New Source Performance Standard for Standards of Performance for Stationary Compression Ignition Internal Combustion Engines, 40 CFR 60, Subpart (IIII) (326 IAC 12), are applicable for the diesel-fired generators, identified as EG-1 and EG-2.

The Permittee shall comply with the following provisions of 40 CFR Part 60, Subpart IIII of this permit, which are incorporated by reference as 326 IAC 12, except as otherwise specified in 40 CFR Part 60, Subpart IIII:

- 40 CFR 60.4200 (a)
- (b) 40 CFR 60.4205
- 40 CFR 60.4206 (c)
- (b) 40 CFR 60.4207
- (d) 40 CFR 60.4208
- (e) 40 CFR 60.4209
- (f) 40 CFR 60.4211
- 40 CFR 60.4212 (g)
- 40 CFR 60.4213 (h)
- 40 CFR 60.4214 (i)
- 40 CFR 60.4218 (k)
- 40 CFR 60.4219 (I)
- Tables 1 through 8 (m)

Permit Reviewer: Daniel W Pell

SECTION G OPERATION CONDITIONS

Operation Description:

(a) Two (2) Emergency Generator Engines, EG-1 and EG-2, diesel-fired, 800kW each, constructed in 2013.

(The information describing the process contained in this facility description box is descriptive information and does not constitute enforceable conditions.)

General Provisions Relating to NESHAP [326 IAC 20-1] [40 CFR 63, Subpart A] G.1

- Pursuant to 40 CFR 63, the Permittee shall comply with the provisions of 40 CFR Part 63, Subpart A - General Provisions, which are incorporated by reference as 326 IAC 20-1, except as otherwise specified in 40 CFR 63, Subpart ZZZZ.
- (b) Pursuant to 40 CFR 63.10, the Permittee shall submit all required notifications and reports to:

Indiana Department of Environmental Management Compliance and Enforcement Branch, Office of Air Quality 100 North Senate Avenue MC 61-53 IGCN 1003 Indianapolis, Indiana 46204-2251

and

United States Environmental Protection Agency, Region V Air and Radiation Division, Air Enforcement Branch - Indiana (AE-17J) 77 West Jackson Boulevard Chicago, Illinois 60604-3590

G.2 Stationary Reciprocating Internal Combustion Engines - NESHAP [40 CFR Part 63, Subpart ZZZZ] [326 IAC 20]

The Permittee shall comply with the following provisions of 40 CFR Part 63, Subpart ZZZZ of this permit, which are incorporated by reference as 326 IAC 20, except as otherwise specified in 40 CFR Part 63, Subpart ZZZZ

- 40 CFR 63.6580 (a)
- (b) 40 CFR 63.6585
- (c) 40 CFR 63.6590(a)
- 40 CFR 63.6585(e) (d)
- 40 CFR 63.6585(b) (e)
- 40 CFR 63.6590(c) (f)

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY

SOURCE SPECIFIC OPERATING AGREEMENT (SSOA) ANNUAL NOTIFICATION

COMPLIANCE AND ENFORCEMENT BRANCH

This form should be used to comply with the notification requirements under 326 IAC 2-9.

Company Name:	St. Vincent Fishers Hospital	
Address:	13861 Olio Road	
Address:	13861 Ollo Road	
City:	Fishers, Indiana 46037	
Phone #:	317-338-3264	
SSOA #:	S057-32818-00084	
	/incent Fishers Hospital is:	☐ still in operation. ☐ no longer in operation.
I hereby certify that St. \	/incent Fishers Hospital is:	 in compliance with the requirements of SSOA S057-32818-00084. not in compliance with the requirements of SSOA S057-32818-00084.
Authorized Individual	(typed):	
Title:		
Signature:		
Date:		
	ns or requirements for which the source ource did or will achieve compliance an	is not in compliance, provide a narrative d the date compliance was, or will be
Noncompliance:		

St. Vincent Fishers Hospital

Fishers, Indiana

Permit Reviewer: Daniel W Pell

DRAFT

Page 13 of 13 NSR and SSOA S057-32818-00084

Mail to: Permit Administration and Support Section

Office of Air Quality 100 North Senate Avenue MC 61-53 IGCN 1003 Indianapolis, Indiana 46204-2251

St. Vincent Fishers Hospital 13861 Olio Road Fishers, IN 456037

Affidavit of Construction

l,			, being	duly sworn upon n	ny oath, depose and say:
	(Name of the Authorized Representa	ıtive)			
1.	I live in	С	ounty, Indiana and	d being of sound mi	nd and over twenty-one
	(21) years of age, I am competent to		-	G	·
2.	I hold the position of(\	for	<u> </u>	·
3.	By virtue of my position with		(Company Name	e)	, I have personal
	knowledge of the representations co				these representations
	on behalf of(Company Na	ame)		·
_					111 40007
4.	I hereby certify that St. Vincent Fishe				
	construction of the General Medical requirements and intent of the permi	_			•
	as permitted pursuant to the New So		-	-	•
5.	Additional wer (operations/facilities)	e constructed	d/substituted as de	escribed in the attac	hment to this document
	and were not made in accordance w	ith the consti	ruction approval. (I	Delete this stateme	nt if it does not apply.)
Further Affiant sa	aid not				
	nalties of perjury that the representat	ions contain	ed in this affidavi	t are true, to the b	est of my information
and belief.					
		<u> </u>			
		Signatu	re		
		Date			
STATE OF INDIA		Date			
,)SS				
COUNTY OF)				
Subscr	ibed and sworn to me, a notary public	c in and for		C	ounty and State of
Indiana on this	day of		. 20	_	
_	expires:		,		
wy Commission	охріїсэ.	<u> </u>			
			Signature		
			Name (typed o	or printed)	

Indiana Department of Environmental Management Office of Air Quality

Technical Support Document (TSD) for a New Source Review (NSR) Permit and a Source Specific Operating Agreement (SSOA)

Source Description and Location

Source Name: St. Vincent Fishers Hospital

Source Location: 13861 Olio Road, Fishers, IN 46037

County: Hamilton SIC Code: 8062

Operation Permit No.: S057-32818-00084
Permit Reviewer: Daniel W Pell

The Office of Air Quality (OAQ) has reviewed an application, submitted by St. Vincent Fishers Hospital on February 8, 2013, for a New Source Review (NSR) Permit and a Source Specific Operating Agreement (SSOA) for a proposed expansion of the hospital for the operation of a stationary 40 bed in-patient hospital.

Existing Approvals

There have been no previous approvals issued to this source.

Permit Level Determination - NSR and SSOA

This source is obtaining a New Source Review (NSR) Permit and Source Specific Operating Agreement (SSOA) for approval to construct (pursuant to 326 IAC 2-5.1-3) and operate (pursuant to 326 IAC 2-9), since the source-wide limited potential to emit of one or more criteria pollutants is greater than twenty-five (25) tons per year.

This source consists of the following operations:

- (a) External combustion sources complying with 326 IAC 2-9-13
 - (1) Three (3) dual fuel fired condensing boilers, identified as B1 to B3, constructed in 2013 with a maximum heat input capacity of 2 MMBtu/hr each.
 - Two (2) natural gas fired low pressure boilers, identified as SB-1 to SB-2, constructed in 2013 with a maximum heat input capacity of 0.85 MMBtu/he each.
 - (3) Two (2) dual fuel domestic hot water heaters, identified as DHW-1 & DHW-2, constructed in 2012 With a maximum heat input capacity of 1 MMBtu/hr each.

Based on emission factors from EPA's Compilation of Air Pollutant Emission Factors AP-42, Chapter 1, External Combustion Sources, IDEM has determined that external combustion sources complying with the fuel usage limitations contained in this SSOA will have a limited PTE of SO₂ and NOx greater than twenty-five (25) tons per year.

- (b) Internal combustion sources complying with 326 IAC 2-9-14
 - (1) Two (2) 800 Kw each diesel fired emergency generators, identified as EG-1 & EG-2, constructed in 2013.

Based on emission factors from EPA's Compilation of Air Pollutant Emission Factors AP-42, Chapter 3, Stationary Internal Combustion Sources, IDEM has determined that internal combustion sources complying with the fuel usage limitations contained in this SSOA have a limited PTE of SO₂ and NOx greater than twenty-five (25) tons per year.

For a source that operates under 326 IAC 2-9 (Source Specific Operating Agreement Program), the source is required to comply with the pre-established emission limitations and standards contained in the specific SSOA(s) under 326 IAC 2-9. For a detailed description of the requirements specific to each SSOA, see 326 IAC 2-9.

Enforcement Issues

There are no pending enforcement actions related to this source.

Federal Rule Applicability Determination

New Source Performance Standards (NSPSs)

External Combustion Sources (Boilers B1-B3, Low Pressure Boilers SB-1 & SB-2)

(a) The natural gas-fired boilers and the dual-fuel fired boilers are not subject to the New Source Performance Standards for Small Industrial Commercial-Institutional Steam Generating Units (40 CFR 60, Subpart Dc), which is incorporated by reference as 326 IAC 12, because each have a maximum heat input capacity less than 10 MMBtu/hr.

Internal Combustion Sources (Emergency Generators EG-1 & EG-2)

(b) The requirements of the New Source Performance Standard for Standards of Performance for Stationary Compression Ignition Internal Combustion Engines, 40 CFR 60, Subpart (IIII) (326 IAC 12), are applicable for the diesel-fired emergency generators, identified as EG-1 and EG-2, as they were constructed and permitted in 2013.

The emergency diesel fired generators identified as EG-1 & EG-2 are subject to the following portion of 40 CFR 60, Subpart IIII:

- (1) 40 CFR 60.4200
- (2) 40 CFR 60.4205
- (3) 40 CFR 60.4206
- (4) 40 CFR 60.4207
- (5) 40 CFR 60.4208
- (6) 40 CFR 60.4209
- (7) 40 CFR 60.4211
- (8) 40 CFR 60.4212
- (9) 40 CFR 60.4213
- (10) 40 CFR 60.4214
- (11) 40 CFR 60.4218
- (12) 40 CFR 60.4219
- (13) Tables 1 through 8
- (c) There are no other New Source Performance Standards (NSPS) (326 IAC 12 and 40 CFR Part 60) included in the SSOA.

National Emission Standards for Hazardous Air Pollutants (NESHAPs)

Internal Combustion Sources (Emergency Generators EG-1 & EG-2)

(d) The requirements of the National Emission Standards for Hazardous Air Pollutants (NESHAPs) [40 CFR Part 63, Subpart ZZZZ] [326 IAC 20] for Stationary Reciprocating Internal Combustion Engines are applicable to the diesel-fired emergency generators, identified as EG-1 and EG-2.

The emergency diesel fired generators identified as EG-1 & EG-2 are subject to the following portion of 40 CFR 63, Subpart ZZZZ:

- (1) 40 CFR 63.6580
- (2) 40 CFR 63.6585
- (3) 40 CFR 63.6590(a)
- (4) 40 CFR 63.6585(e)
- (5) 40 CFR 63.6585(b)
- (6) 40 CFR 63.6590(c)
- (e) There are no other National Emission Standards for Hazardous Air Pollutants (NESHAPs) (326 IAC 14, 326 IAC 20 and 40 CFR Part 63) included in the permit.

Compliance Assurance Monitoring (CAM)

(e) Pursuant to 40 CFR 64.2, Compliance Assurance Monitoring (CAM) is not included in the permit, because the potential to emit of the source is limited to less than the Title V major source thresholds and the source is not required to obtain a Part 70 or Part 71 permit.

State Rule Applicability Determination

The following state rules are applicable to the source:

- (a) 326 IAC 2-9 (Source Specific Operating Agreement Program) SSOA applicability is discussed under the Permit Level Determination SSOA section above.
- (b) 326 IAC 5-1 (Opacity Limitations)
 Pursuant to 326 IAC 5-1-2 (Opacity Limitations), except as provided in 326 IAC 5-1-3 (Temporary Alternative Opacity Limitations), opacity shall meet the following, unless otherwise stated in this permit:
 - (1) Opacity shall not exceed an average of forty percent (40%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.
 - (2) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixty (60) readings as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuous opacity monitor) in a six (6) hour period.
- (c) 326 IAC 6-4 (Fugitive Dust Emissions Limitations)
 Pursuant to 326 IAC 6-4 (Fugitive Dust Emissions Limitations), the source shall not allow fugitive dust to escape beyond the property line or boundaries of the property, right-of-way, or easement on which the source is located, in a manner that would violate 326 IAC 6-4.
- (d) 326 IAC 6-5 (Fugitive Particulate Matter Emission Limitations)

 The requirements of 326 IAC 6-5 are not included in the SSOA, since each of the SSOAs contained under 326 IAC 2-9 (Source Specific Operating Agreement Program) that limit fugitive emissions include pre-established fugitive dust control measures.

Compliance Determination, Monitoring, Record Keeping, and Reporting Requirements

For a source that operates under 326 IAC 2-9 (Source Specific Operating Agreement Program), the source is required to comply with the pre-established emission limitations and standards, compliance determination, compliance monitoring, and record keeping and reporting requirements contained in the specific SSOA(s) under 326 IAC 2-9. For a detailed description of the requirements specific to each SSOA, see 326 IAC 2-9.

Conclusion and Recommendation

Unless otherwise stated, information used in this review was derived from the application and additional information submitted by the applicant. An application for the purposes of this review was received on February 8, 2013.

The operation of this source shall be subject to the conditions of the attached proposed New Source Review (NSR) Permit and SSOA No. S057-32818-00084. The staff recommends to the Commissioner that this NSR Permit and SSOA be approved.

IDEM Contact

- (a) Questions regarding this proposed permit can be directed to Daniel W Pell at the Indiana Department Environmental Management, Office of Air Quality, Permits Branch, 100 North Senate Avenue, MC 61-53 IGCN 1003, Indianapolis, Indiana 46204-2251 or by telephone at (317) 234-8532 or toll free at 1-800-451-6027 extension 4-8532.
- (b) A copy of the findings is available on the Internet at: http://www.in.gov/ai/appfiles/idem-caats/
- (c) For additional information about air permits and how the public and interested parties can participate, refer to the IDEM's Guide for Citizen Participation and Permit Guide on the Internet at: www.in.gov/idem

Appendix A: Emissions Calculations Three (3) Heating Hot Water Boilers at 2 MMBH Each - Dual Fuel (Natural Gas and #2 Fuel Oil) MM BTU/HR <100

Natural Gas Combustion Calculations Only (B-1, B-2, & B-3)

Company Name: St. Vincent Fishers Hospital
Address City IN Zip: 13861 Olio Road, Fishers, IN 46037

Heat Input Capacity
MMBtu/hr

HHV I mmBtu

Potential Throughput

MMCF/yr

mmscf

6.0

1020

51.5

		Pollutant							
Emission Factor in lb/MMCF	PM* 1.9	PM10* 7.6	direct PM2.5* 7.6	SO2 0.6	NOx 100 **see below	VOC 5.5	CO 84		
Potential Emission in tons/yr	0.05	0.20	0.20	0.02	2.58	0.14	2.16		

^{*}PM emission factor is filterable PM only. PM10 emission factor is filterable and condensable PM10 combined.

Methodology

All emission factors are based on normal firing.

MMBtu = 1.000.000 Btu

MMCF = 1,000,000 Cubic Feet of Gas

Emission Factors are from AP 42, Chapter 1.4, Tables 1.4-1, 1.4-2, 1.4-3, SCC #1-02-006-02, 1-01-006-02, 1-03-006-02, and 1-03-006-03

Potential Throughput (MMCF) = Heat Input Capacity (MMBtu/hr) x 8,760 hrs/yr x 1 MMCF/1,020 MMBtu

Emission (tons/yr) = Throughput (MMCF/yr) x Emission Factor (lb/MMCF)/2,000 lb/ton

HAPS Calculations

	HAPs - Organics							
Emission Factor in lb/MMcf	Benzene 2.1E-03	Dichlorobenzene 1.2E-03	Formaldehyde 7.5E-02	Hexane 1.8E+00	Toluene 3.4E-03	Total - Organics		
Potential Emission in tons/yr	5.411E-05	3.092E-05	1.932E-03	4.638E-02	8.760E-05	4.848E-02		

		HAPs - Metals							
Emission Factor in lb/MMcf	Lead 5.0E-04	Cadmium 1.1E-03	Chromium 1.4E-03	Manganese 3.8E-04	Nickel 2.1E-03	Total - Metals			
Potential Emission in tons/yr	1.288E-05	2.834E-05	3.607E-05	9.791E-06	5.411E-05	1.412E-04			
					Total HAPs	4.862E-02			
Methodology is the same as above					Worst HAP	4 638F-02			

Methodology is the same as above.

The five highest organic and metal HAPs emission factors are provided above. Additional HAPs emission factors are available in AP-42, Chapter 1.4.

Greenhouse Gas Calculations

		Greenhouse Gas		
Emission Factor in lb/MMcf	CO2 120,000	CH4 2.3	N2O 2.2	
Potential Emission in tons/yr	3,092	0.1	0.1	
Summed Potential Emissions in tons/yr	3,092			
CO2e Total in tons/yr	3,111			

Methodology

The N2O Emission Factor for uncontrolled is 2.2. The N2O Emission Factor for low Nox burner is 0.64.

Emission Factors are from AP 42, Table 1.4-2 SCC #1-02-006-02, 1-01-006-02, 1-03-006-02, and 1-03-006-03.

Global Warming Potentials (GWP) from Table A-1 of 40 CFR Part 98 Subpart A.

Emission (tons/yr) = Throughput (MMCF/yr) x Emission Factor (lb/MMCF)/2,000 lb/ton

CO2e (tons/yr) = CO2 Potential Emission ton/yr x CO2 GWP (1) + CH4 Potential Emission ton/yr x CH4 GWP (21) + N2O Potential Emission ton/yr x N2O GWP (310).

PM2.5 emission factor is filterable and condensable PM2.5 combined.

^{**}Emission Factors for NOx: Uncontrolled = 100, Low NOx Burner = 50, Low NOx Burners/Flue gas recirculation = 32

Appendix A: Emissions Calculations

Commercial/Institutional/Residential Combustors (< 100 mmBtu/hr)
Three (3) Heating Hot Water Boilers at 2 MMBH Each - Dual Fuel (Natural Gas and #2 Fuel Oil)
#2 Fuel Oil Emissions Calculations Only (B-1, B-2, & B-3)

Company Name: St. Vincent Fishers Hospital

Address, City IN Zip: 13861 Olio Road, Fishers, IN 46037

Permit Number: 32818
Plt ID: 057-00084
Reviewer: Daniel W. Pell

Date: 4/5/2013

Heat Input Capacity Potential Throughput S = Weight % Sulfur Potential Throughput

MMBtu/hr kgals/year 0.5 gals/year

6 375.428571 375428.571

		Pollutant						
	PM*	PM10	direct PM2.5	SO2	NOx	VOC	CO	
Emission Factor in lb/kgal	2.0	2.3	1.3	71	20.0	0.20	5.0	
				(142.0S)				
Potential Emission in tons/yr	0.38	0.43	0.24	13.33	3.75	0.04	0.94	

Methodology

MOHAMMAD: 1 gallon of No. 2 Fuel Oil has a heating value of 140,000 Btu

Potential Throughput (kgals/year) = Heat Input Capacity (MMBtu/hr) x 8,760 hrs/yr x 1kgal per 1000 gallon x 1 gal per 0.140 MM Btu

Potential Throughput (gals/year) = Heat Input Capacity (MMBtu/hr) x 1000 x 8,760 hrs/yr x 1kgal per 1000 gallon x 1 gal per 0.140 MM Btu

Emission Factors are from AP 42, Tables 1.3-1, 1.3-2, and 1.3-3 (SCC 1-03-005-01/02/03) Supplement E 5/10 (see erata file)

*PM emission factor is filterable PM only. Condensable PM emission factor is 1.3 lb/kgal. Emission (tons/yr) = Throughput (kgals/ yr) x Emission Factor (lb/kgal)/2,000 lb/ton

Greenhouse Gas Calculations

	G	reenhouse Ga	IS
Emission Factor in lb/kgal	CO2	CH4	N2O
Emission Factor in kg/mmBtu	73.96	0.0006	0.003
Potential Emission in tons/yr	4,434.1	0.0	0.2
Summed Potential Emissions in tons/yr		4,434	
CO2e Total in tons/yr		4,491	

Methodology

CO2, CH4 and N2O emissions factors are from 40 CFR 98 Subpart C, Table C-1 and Table C-2 for Bituminous Coal Combustion Global Warming Potentials (GWP) from Table A-1 of 40 CFR Part 98 Subpart A.

Emission (tons/yr) = Throughput (gal/yr) x Emission Factor (kg/MMBtu) x 0.145 MMBtu/gal x 1lbs/0.454 kg x 1 ton/2000 lbs

CO2e (tons/yr) = CO2 Potential Emission ton/yr x CO2 GWP (1) + CH4 Potential Emission ton/yr x CH4 GWP (21) + N2O Potential Emission ton/y N2O GWP (310).

CO2 and N2O Emission (tons/yr) = Throughput (gal/yr) X Emission Factor (kg/mmBtu) x .145 MMBtu/gal x 1lbs/0.454 kg x 1 ton/2000 lbs CH 4 Emission (tons/yr) = Throughput (gal/yr) X Emission Factor (kg/mmBtu) x .145 MMBtu/gal x 1lbs/0.454 kg x 1 ton/2000 lbs

Appendix A: Emissions Calculations Two (2) Low Pressure Boilers at 0.85 MMBH Each - Natural Gas MM BTU/HR <100

Natural Gas Combustion Calculations (SB-1 & SB-2)

Company Name: St. Vincent Fishers Hospital Address City IN Zip: 13861 Olio Road, Fishers, IN 46037

Permit Number: 32818 Plt ID: 057-00084 Reviewer: Daniel W Pell **Date:** 4/5/2013

Heat Input Capacity MMBtu/hr

Potential Throughput HHVMMCF/yr

mmBtu mmscf

1020 14.6

	Pollutant						
	PM*	PM10*	direct PM2.5*	SO2	NOx	VOC	CO
Emission Factor in lb/MMCF	1.9	7.6	7.6	0.6	100	5.5	84
					**see below		
Potential Emission in tons/yr	0.01	0.06	0.06	0.00	0.73	0.04	0.61

^{*}PM emission factor is filterable PM only. PM10 emission factor is filterable and condensable PM10 combined.

Methodology

All emission factors are based on normal firing.

MMBtu = 1,000,000 Btu

MMCF = 1,000,000 Cubic Feet of Gas

Emission Factors are from AP 42, Chapter 1.4, Tables 1.4-1, 1.4-2, 1.4-3, SCC #1-02-006-02, 1-01-006-02, 1-03-006-02, and 1-03-006-03

Potential Throughput (MMCF) = Heat Input Capacity (MMBtu/hr) x 8,760 hrs/yr x 1 MMCF/1,020 MMBtu

Emission (tons/yr) = Throughput (MMCF/yr) x Emission Factor (lb/MMCF)/2,000 lb/ton

HAPS Calculations

	HAPs - Organics							
Emission Factor in lb/MMcf	Benzene 2.1E-03	Dichlorobenzene 1.2E-03	Formaldehyde 7.5E-02	Hexane 1.8E+00	Toluene 3.4E-03	Total - Organics		
Potential Emission in tons/yr	1.533E-05	8.760E-06	5.475E-04	1.314E-02	2.482E-05	1.374E-02		

		HAPs - Metals							
Emission Factor in lb/MMcf	Lead 5.0E-04	Cadmium 1.1E-03	Chromium 1.4E-03	Manganese 3.8E-04	Nickel 2.1E-03	Total - Metals			
Potential Emission in tons/yr	3.650E-06	8.030E-06	1.022E-05	2.774E-06	1.533E-05	4.000E-05			
		<u>I</u>		•	Total HAPs	1.378E-02			
Methodology is the same as above.					Worst Single HAP	1.314E-02			

The five highest organic and metal HAPs emission factors are provided above. Additional HAPs emission factors are available in AP-42, Chapter 1.4.

Greenhouse Gas Calculations

		Greenhouse Gas	
Emission Factor in lb/MMcf	CO2 120,000	CH4 2.3	N2O 2.2
Potential Emission in tons/yr	876	0.0	0.0
Summed Potential Emissions in tons/yr		876	
CO2e Total in tons/yr		881	

Methodology

The N2O Emission Factor for uncontrolled is 2.2. The N2O Emission Factor for low Nox burner is 0.64.

Emission Factors are from AP 42, Table 1.4-2 SCC #1-02-006-02, 1-01-006-02, 1-03-006-02, and 1-03-006-03.

Global Warming Potentials (GWP) from Table A-1 of 40 CFR Part 98 Subpart A.

Emission (tons/yr) = Throughput (MMCF/yr) x Emission Factor (lb/MMCF)/2,000 lb/ton

CO2e (tons/yr) = CO2 Potential Emission ton/yr x CO2 GWP (1) + CH4 Potential Emission ton/yr x CH4 GWP (21) + N2O Potential Emission ton/yr x N2O GWP (310).

PM2.5 emission factor is filterable and condensable PM2.5 combined.

^{**}Emission Factors for NOx: Uncontrolled = 100, Low NOx Burner = 50, Low NOx Burners/Flue gas recirculation = 32

Appendix A: Emissions Calculations Two (2) Domestic Hot Water Heaters at 1 MMBH Each - Dual Fuel (Natural Gas and #2 Fuel Oil) MM BTU/HR <100

Natural Gas Combustion Calculations Only (DHW-1 & DHW-2)

Company Name: St. Vincent Fishers Hospital
Address City IN Zip: 13861 Olio Road, Fishers, IN 46037

 Permit Number:
 32818

 Plt ID:
 057-00084

 Reviewer:
 Daniel W Pell

 Date:
 4/5/2013

Heat Input Capacity
MMBtu/hr

HHV Po

Potential Throughput

___ MMCF/yr

2.0

mmscf 1020

17.2

		Pollutant									
Emission Factor in lb/MMCF	PM* 1.9	PM10* 7.6	direct PM2.5* 7.6	SO2 0.6	NOx 100 **see below	VOC 5.5	CO 84				
Potential Emission in tons/yr	0.02	0.07	0.07	0.01	0.86	0.05	0.72				

^{*}PM emission factor is filterable PM only. PM10 emission factor is filterable and condensable PM10 combined.

Methodology

All emission factors are based on normal firing.

MMBtu = 1,000,000 Btu

MMCF = 1,000,000 Cubic Feet of Gas

Emission Factors are from AP 42, Chapter 1.4, Tables 1.4-1, 1.4-2, 1.4-3, SCC #1-02-006-02, 1-01-006-02, 1-03-006-02, and 1-03-006-03

Potential Throughput (MMCF) = Heat Input Capacity (MMBtu/hr) x 8,760 hrs/yr x 1 MMCF/1,020 MMBtu

Emission (tons/yr) = Throughput (MMCF/yr) x Emission Factor (lb/MMCF)/2,000 lb/ton

HAPS Calculations

		HAPs - Organics								
Emission Factor in lb/MMcf	Benzene 2.1E-03	Dichlorobenzene 1.2E-03	Formaldehyde 7.5E-02	Hexane 1.8E+00	Toluene 3.4E-03	Total - Organics				
Potential Emission in tons/yr	1.804E-05	1.031E-05	6.441E-04	1.546E-02	2.920E-05	1.616E-02				

		HAPs - Metals								
Emission Factor in lb/MMcf	Lead 5.0E-04	Cadmium 1.1E-03	Chromium 1.4E-03	Manganese 3.8E-04	Nickel 2.1E-03	Total - Metals				
Potential Emission in tons/yr	4.294E-06	9.447E-06	1.202E-05	3.264E-06	1.804E-05	4.706E-05				
	•				Total HAPs	1.621E-02				
Methodology is the same as above.					Worst HAP	1.546E-02				

Methodology is the same as above.

The five highest organic and metal HAPs emission factors are provided above. Additional HAPs emission factors are available in AP-42, Chapter 1.4.

Greenhouse Gas Calculations

		Greenhouse Gas	
Emission Factor in lb/MMcf	CO2 120,000	CH4 2.3	N2O 2.2
Potential Emission in tons/yr	1,031	0.0	0.0
Summed Potential Emissions in tons/yr		1,031	
CO2e Total in tons/yr		1,037	

Methodology

The N2O Emission Factor for uncontrolled is 2.2. The N2O Emission Factor for low Nox burner is 0.64. Emission Factors are from AP 42, Table 1.4-2 SCC #1-02-006-02, 1-01-006-02, 1-03-006-02, and 1-03-006-03.

Global Warming Potentials (GWP) from Table A-1 of 40 CFR Part 98 Subpart A. Emission (tons/yr) = Throughput (MMCF/yr) x Emission Factor (lb/MMCF)/2,000 lb/ton

CO2e (tons/yr) = CO2 Potential Emission ton/yr x CO2 GWP (1) + CH4 Potential Emission ton/yr x CH4 GWP (21) + N2O Potential Emission ton/yr x N2O

CO2e (tons/g GWP (310).

PM2.5 emission factor is filterable and condensable PM2.5 combined.

^{**}Emission Factors for NOx: Uncontrolled = 100, Low NOx Burner = 50, Low NOx Burners/Flue gas recirculation = 32

Appendix A: Emissions Calculations

Commercial/Institutional/Residential Combustors (< 100 mmBtu/hr) Two (2) Domestic Hot Water Heaters at 1 MMBH Each - Dual Fuel (Natural Gas and #2 Fuel Oil) #2 Fuel Oil Emissions Calculations Only (DHW-1 & DHW-2)

Company Name: St. Vincent Fishers Hospital

Address, City IN Zip: 13861 Olio Road, Fishers, IN 46037

Permit Number: 32818

Plt ID: 057-00084

Reviewer: Daniel W. Pell

Date: 4/5/2013

Heat Input Capacity Potential Throughput S = Weight % Sulfur Potential Throughput

MMBtu/hr kgals/year 0.5 gals/year

2 125.142857 125142.857

		Pollutant										
	PM*	PM10	direct PM2.5	SO2	NOx	VOC	CO					
Emission Factor in lb/kgal	2.0	2.3	1.3	71	20.0	0.20	5.0					
				(142.0S)								
Potential Emission in tons/yr	0.13	0.14	0.08	4.44	1.25	0.01	0.31					

Methodology

1 gallon of No. 2 Fuel Oil has a heating value of 140,000 Btu

Potential Throughput (kgals/year) = Heat Input Capacity (MMBtu/hr) x 8,760 hrs/yr x 1kgal per 1000 gallon x 1 gal per 0.140 MM Btu

Potential Throughput (gals/year) = Heat Input Capacity (MMBtu/hr) x 1000 x 8,760 hrs/yr x 1kgal per 1000 gallon x 1 gal per 0.140 MM Btu

Emission Factors are from AP 42, Tables 1.3-1, 1.3-2, and 1.3-3 (SCC 1-03-005-01/02/03) Supplement E 5/10 (see erata file)

Greenhouse Gas Calculations

	G	reenhouse Ga	IS
Emission Factor in lb/kgal	CO2	CH4	N2O
Emission Factor in kg/mmBtu	73.96	0.0006	0.003
Potential Emission in tons/yr	1,478.0	0.0	0.1
Summed Potential Emissions in tons/yr		1,478	
CO2e Total in tons/yr		1,497	

Methodology

CO2, CH4 and N2O emissions factors are from 40 CFR 98 Subpart C, Table C-1 and Table C-2 for Bituminous Coal Combustion Global Warming Potentials (GWP) from Table A-1 of 40 CFR Part 98 Subpart A.

Emission (tons/yr) = Throughput (gal/yr) x Emission Factor (kg/MMBtu) x 0.145 MMBtu/gal x 1lbs/0.454 kg x 1 ton/2000 lbs

CO2e (tons/yr) = CO2 Potential Emission ton/yr x CO2 GWP (1) + CH4 Potential Emission ton/yr x CH4 GWP (21) + N2O Potential Emission ton/y N2O GWP (310).

CO2 and N2O Emission (tons/yr) = Throughput (gal/yr) X Emission Factor (kg/mmBtu) x .145 MMBtu/gal x 1lbs/0.454 kg x 1 ton/2000 lbs CH 4 Emission (tons/yr) = Throughput (gal/yr) X Emission Factor (kg/mmBtu) x .145 MMBtu/gal x 1lbs/0.454 kg x 1 ton/2000 lbs

^{*}PM emission factor is filterable PM only. Condensable PM emission factor is 1.3 lb/kgal. Emission (tons/yr) = Throughput (kgals/ yr) x Emission Factor (lb/kgal)/2,000 lb/ton

5.91E-03

Appendix A: Emission Calculations Large Reciprocating Internal Combustion Engines - Diesel Fuel Two (2) Electrical Generators at 800kW (1072 HP each) (EG-1 & EG-2) Output Rating (>600 HP) Maximum Input Rate (>4.2 MMBtu/hr)

maximum input reato (P412 minibearin)

Company Name: St. Vincent Fishers Hospital

Address City IN Zip: 13861 Olio Road, Fishers, IN 46037

Permit Number: 32818
Plt ID: 057-00084
Reviewer: Daniel W. Pell

Date: 4/5/2013

B. Emissions calculated based on output rating (hp)

Output Horsepower Rating (hp)
Maximum Hours Operated per Year
Potential Throughput (hp-hr/yr)
Sulfur Content (S) of Fuel (% by weight)

2144.0
500
1,072,000

		Pollutant									
	PM*	PM10*	direct PM2.5*	SO2	NOx	VOC	CO				
Emission Factor in lb/hp-hr	7.00E-04	4.01E-04	4.01E-04	4.05E-03	2.40E-02	7.05E-04	5.50E-03				
				(.00809S)	**see below						
Potential Emission in tons/yr	0.38	0.21	0.21	2.17	12.86	0.38	2.95				

^{*}PM10 emission factor in lb/hp-hr was calculated using the emission factor in lb/MMBtu and a brake specific fuel consumption of 7,000 Btu / hp-hr (AP-42 Table 3.4-1 (updated10/96)).

Hazardous Air Pollutants (HAPs)

		Pollutant									
							Total PAH				
	Benzene	Toluene	Xylene	Formaldehyde	Acetaldehyde	Acrolein	HAPs***				
Emission Factor in lb/hp-hr****	5.43E-06	1.97E-06	1.35E-06	5.52E-07	1.76E-07	5.52E-08	1.48E-06				
Potential Emission in tons/yr	2.91E-03	1.05E-03	7.24E-04	2.96E-04	9.46E-05	2.96E-05	7.95E-04				

^{***}PAH = Polyaromatic Hydrocarbon (PAHs are considered HAPs, since they are considered Polycyclic Organic Matter)

Green House Gas Emissions (GHG)

		Pollutant					
	CO2	CH4	N2O				
Emission Factor in lb/hp-hr	1.16E+00	6.35E-05	9.30E-06				
Potential Emission in tons/yr	6.22E+02 3.40E-02 4.98E-03						

Summed Potential Emissions in tons/yr	6.22E+02
CO2e Total in tons/yr	6.24E+02

Potential Emission of Total HAPs (tons/yr)

Methodology

Emission Factors are from AP 42 (Supplement B 10/96) Tables 3.4-1, 3.4-2, 3.4-3, and 3.4-4.

CH4 and N2O Emission Factor from 40 CFR 98 Subpart C Table C-2.

Global Warming Potentials (GWP) from Table A-1 of 40 CFR Part 98 Subpart A.

Potential Throughput (hp-hr/yr) = [Output Horsepower Rating (hp)] * [Maximum Hours Operated per Year]

Potential Emission (tons/yr) = [Potential Throughput (hp-hr/yr)] * [Emission Factor (lb/hp-hr)] / [2,000 lb/ton]

CO2e (tons/yr) = CO2 Potential Emission ton/yr x CO2 GWP (1) + CH4 Potential Emission ton/yr x CH4 GWP (21) + N2O Potential Emission ton/yr x N2O GWP (310).

^{**}NOx emission factor: uncontrolled = 0.024 lb/hp-hr, controlled by ignition timing retard = 0.013 lb/hp-hr

^{****}Emission factors in lb/hp-hr were calculated using emission factors in lb/MMBtu and a brake specific fuel consumption of 7,000 Btu / hp-hr (AP-42 Table 3.4-3 (updated 10/96)).

Appendix A: Emission Calculations Potential to Emit of Entire Source

Company Name: St. Vincent Fishers Hospital

Source Address: 13861 Olio Road, Fishers, IN 46037

Permit Number: 057-32818-00084 **Reviewer:** Daniel W. Pell

Date: 4/5/2013

	Potential to Emit of Entire Source (tons/year)										
!	PM	PM10	PM2.5	SO2	NOx	VOC	СО	GHG total	Worst HAP	Total HAP	
Condensing Boilers B-1, B- 2, B-3 (NG & FO2)	0.38	0.43	0.24	13.33	3.75	0.14	2.16	4491	Hexane 0.0463	0.049	
Low Pressure Steam Boilers SB-1, SB-2 (NG)	0.01	0.06	0.06	0.00	0.73	0.04	0.61	881	Hexane 0.0131	0.014	
Domestic Hot Water Heaters DHW-1, DHW- 2 (NG & FO2)	0.13	0.14	0.08	4.44	1.25	0.05	0.72	1497	Hexane 0.0154	0.016	
Diesel Engines EG-1, EG-2 (FO2)	0.38	0.21	0.21	2.17	12.86	0.38	2.95	624	Benzene 0.0510	0.001	
Total	0.89	0.85	0.60	19.94	18.60	0.61	6.45	7,493	Hexane 0.1258	0.079	





We Protect Hoosiers and Our Environment.

Michael R. Pence Governor

Thomas W. Easterly Commissioner

100 North Senate Avenue Indianapolis, Indiana 46204 (317) 232-8603 Toll Free (800) 451-6027 www.idem.IN.gov

April 23, 2013

Mr. Victor Detienne St. Vincent Fishers Hospital 13861 Olio Road Fishers, Indiana 46037

Re: Public Notice

St. Vincent Fishers Hospital

Permit Level: New Source Review Permit and

Source Specific Operating Agreement Permit Number: 057-32818-00084

Dear Mr. Victor Detienne:

Enclosed is a copy of your draft New Source Review Permit and Source Specific Operating Agreement, Technical Support Document, emission calculations, and the Public Notice which will be printed in your local newspaper.

The Office of Air Quality (OAQ) has submitted the draft permit package to the Hamilton East Public Library, 5 Municipal Drive in Fishers, Indiana. As a reminder, you are obligated by 326 IAC 2-1.1-6(c) to place a copy of the complete permit application at this library no later than ten (10) days after submittal of the application or additional information to our department. We highly recommend that even if you have already placed these materials at the library, that you confirm with the library that these materials are available for review and request that the library keep the materials available for review during the entire permitting process.

You will not be responsible for collecting any comments, nor are you responsible for having the notice published in the newspaper. The OAQ has requested that The Times in Noblesville, Indiana publish this notice no later than Friday April 26, 2013.

Please review the enclosed documents carefully. This is your opportunity to comment on the draft permit and notify the OAQ of any corrections that are needed before the final decision. Questions or comments about the enclosed documents should be directed to Daniel Pell, Indiana Department of Environmental Management, Office of Air Quality, 100 N, Senate Avenue, Indianapolis, Indiana, 46204 or call (800) 451-6027, and ask for extension 4-8532 or dial (317) 234-8532.

Sincerely, **Angela** R Wells

Angela R Wells Permits Branch Office of Air Quality

Enclosures

PN Applicant Cover letter. dot 3/27/08





We Protect Hoosiers and Our Environment.

Michael R. Pence Governor

Thomas W. Easterly Commissioner

100 North Senate Avenue Indianapolis, Indiana 46204 (317) 232-8603 Toll Free (800) 451-6027 www.idem.IN.gov

ATTENTION: PUBLIC NOTICES, LEGAL ADVERTISING

April 23, 2013

The Times Stew Clampitt 641 Westfield Road Noblesville, Indiana 46060

Enclosed, please find one Indiana Department of Environmental Management Notice of Public Comment for St. Vincent Fishers Hospital, Hamilton County, Indiana.

Since our agency must comply with requirements which call for a Notice of Public Comment, we request that you print this notice one time, no later than Friday April 27, 2013.

Please send a notarized form, clippings showing the date of publication, and the billing to the Indiana Department of Environmental Management, Accounting, Room N1345, 100 North Senate Avenue, Indianapolis, Indiana, 46204.

We are required by the Auditor's Office to request that you place the Federal ID Number on all claims. If you have any conflicts, questions, or problems with the publishing of this notice or if you do not receive complete public notice information for this notice, please call Angie Wells at 800-451-6027 and ask for extension 3-9488 or dial 317-233-9488.

Sincerely,

Angela R Wells

Angela R Wells Permit Branch Office of Air Quality

cc: Pat Cuzzort: OAQ Billing, Licensing and Training Section

Permit Level: New Source Review Permit and Source Specific Operating Agreement

Permit Number: 057-32818-00084

PN Newspaper.dot 3/27/08





We Protect Hoosiers and Our Environment.

Michael R. Pence Governor

Thomas W. Easterly Commissioner

100 North Senate Avenue Indianapolis, Indiana 46204 (317) 232-8603 Toll Free (800) 451-6027 www.idem.IN.gov

April 23, 2013

To: Hamilton East Public Library

From: Matthew Stuckey, Branch Chief

> Permits Branch Office of Air Quality

Subject: Important Information to Display Regarding a Public Notice for an Air

Permit

Applicant Name: St. Vincent Fishers Hospital

Permit Number: 057-32818-00084

Enclosed is a copy of important information to make available to the public. This proposed project is regarding a source that may have the potential to significantly impact air quality. Librarians are encouraged to educate the public to make them aware of the availability of this information. The following information is enclosed for public reference at your library:

- Notice of a 30-day Period for Public Comment
- Request to publish the Notice of 30-day Period for Public Comment
- **Draft Permit and Technical Support Document**

You will not be responsible for collecting any comments from the citizens. Please refer all questions and request for the copies of any pertinent information to the person named below.

Members of your community could be very concerned in how these projects might affect them and their families. Please make this information readily available until you receive a copy of the final package.

If you have any questions concerning this public review process, please contact Joanne Smiddie-Brush, OAQ Permits Administration Section at 1-800-451-6027, extension 3-0185. Questions pertaining to the permit itself should be directed to the contact listed on the notice.

> **Enclosures** PN Library.dot 03/27/08





We Protect Hoosiers and Our Environment.

Michael R. Pence Governor

Thomas W. Easterly Commissioner

100 North Senate Avenue Indianapolis, Indiana 46204 (317) 232-8603 Toll Free (800) 451-6027 www.idem.IN.gov

Notice of Public Comment

April 23, 2013 St. Vincent Fishers Hospital 057-32818-00084

Dear Concerned Citizen(s):

You have been identified as someone who could potentially be affected by this proposed air permit. The Indiana Department of Environmental Management, in our ongoing efforts to better communicate with concerned citizens, invites your comment on the draft permit.

Enclosed is a Notice of Public Comment, which has been placed in the Legal Advertising section of your local newspaper. The application and supporting documentation for this proposed permit have been placed at the library indicated in the Notice. These documents more fully describe the project, the applicable air pollution control requirements and how the applicant will comply with these requirements.

If you would like to comment on this draft permit, please contact the person named in the enclosed Public Notice. Thank you for your interest in the Indiana's Air Permitting Program.

Please Note: If you feel you have received this Notice in error, or would like to be removed from the Air Permits mailing list, please contact Patricia Pear with the Air Permits Administration Section at 1-800-451-6027, ext. 3-6875 or via e-mail at PPEAR@IDEM.IN.GOV. If you have recently moved and this Notice has been forwarded to you, please notify us of your new address and if you wish to remain on the mailing list. Mail that is returned to IDEM by the Post Office with a forwarding address in a different county will be removed from our list unless otherwise requested.

> Enclosure PN AAA Cover.dot 3/27/08



Mail Code 61-53

IDEM Staff	AWELLS 4/23/2	013		
	St Vincent Fisher	rs Hospital 057-32818-00084 Draft	AFFIX STAMP	
Name and		Indiana Department of Environmental	Type of Mail:	HERE IF
address of		Management		USED AS
Sender		Office of Air Quality – Permits Branch	CERTIFICATE OF	CERTIFICATE
		100 N. Senate	MAILING ONLY	OF MAILING
		Indianapolis, IN 46204	MAIENTO GITE!	

Line	Article Number	Name, Address, Street and Post Office Address	Postage	Handing Charges	Act. Value (If Registered)	Insured Value	Due Send if COD	R.R. Fee	S.D. Fee	S.H. Fee	Rest. Del. Fee
											Remarks
1		Victor Detienne St Vincent Fishers Hospital 13861 Olio Rd Fishers IN 46037 (Source 0	CAATS)								
2		Bill Fenton Department Dir St Vincent Fishers Hospital 2001 W 86th St Indianapolis IN 46260 (RO CAATS)									
3		Hamilton East Public Library 5 Municipal Drive Fishers IN 46037 (Library)									
4		Hamilton County Health Department 18030 Foundation Dr. #A Noblesville IN 46060-5405 (Health Department)									
5		Hamilton County Board of Commissioners One Hamilton County Square Noblesville IN 46064 (Local Official)									
6		Fishers Town Council and Town Manager 1 Municipal Dr. Fishers IN 46038 (Local Official)									
7		Brenda Mathew Keramida Environmental, Inc. 401 North College Indianapolis IN 46202 (Consultant)									
8		Glidden Fence Co. 17804 Spring Mill Rd Westfield IN 46074 (Affected Party)									
9		Environmental Field Services, Inc. 40 SR 32 W Westfield IN 46074 (Affected Party)									
10		Jill Butterfield 17903 Spring Mill Rd Westfield IN 46074 (Affected Party)									
11											
12											
13											
14											
15											

Total number of pieces	Total number of Pieces	Postmaster, Per (Name of	The full declaration of value is required on all domestic and international registered mail. The
Listed by Sender	Received at Post Office	Receiving employee)	maximum indemnity payable for the reconstruction of nonnegotiable documents under Express
			Mail document reconstructing insurance is \$50,000 per piece subject to a limit of \$50, 000 per
			occurrence. The maximum indemnity payable on Express mil merchandise insurance is \$500.
4.0			The maximum indemnity payable is \$25,000 for registered mail, sent with optional postal
11()			insurance. See <i>Domestic Mail Manual</i> R900, S913, and S921 for limitations of coverage on
10			inured and COD mail. See <i>International Mail Manual</i> for limitations o coverage on international
			mail. Special handling charges apply only to Standard Mail (A) and Standard Mail (B) parcels.